| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|------------------------------|---------------------|---------|------------------|
| S1 | 2 | (operat\$3 and environment) with (countr\$2 region\$2) adj code\$1 | USPAT | OR | OFF | 2006/03/16 10:51 |
| S2 | 3 | (operat\$3 and environment) with (countr\$2 region\$2) adj code\$1 | US-PGPUB | OR | OFF | 2006/03/16 10:55 |
| S3 | 3 | (operat\$3 and environment) with (countr\$2 region\$2) adj voltage | US-PGPUB | OR | OFF | 2006/03/16 10:55 |
| S4 | 2 | (operat\$3 and environment) with (countr\$2 region\$2) adj voltage | USPAT | OR | OFF | 2006/03/16 10:55 |
| S5 | 0 | (operat\$3 and environment) with (countr\$2 region\$2) adj voltage | EPO; JPO; IBM_TDB | OR | OFF | 2006/03/16 10:56 |
| S6 | 0 | (operat\$3 and environment) with (countr\$2 region\$2) adj code\$1 | EPO; JPO; IBM_TDB | OR | OFF | 2006/03/16 10:56 |
| S7 | 138 | country near5 voltage | USPAT | OR | OFF | 2006/03/16 11:10 |
| S8 | 0 | country near5 voltage same enviroment | USPAT | OR | OFF | 2006/03/16 10:57 |
| S9 | 1 | country near5 voltage same environment | USPAT | OR | OFF | 2006/03/16 10:57 |
| S10 | 17 | country near5 voltage | EPO; JPO; IBM_TDB | OR | OFF | 2006/03/16 11:10 |
| S11 | 1 | ("6611580").URPN. | USPAT | OR | OFF | 2006/03/16 13:23 |
| S12 | 31 | ("5506868").URPN. | USPAT | OR | OFF | 2006/03/16 13:24 |
| S13 | 0 | country with voltage with (lan nic) | USPAT | OR | OFF | 2006/03/16 14:38 |
| S14 | 1 | country with voltage with card | USPAT | OR | OFF | 2006/03/16 14:38 |
| S15 | 0 | country with voltage same (lan nic) | USPAT | OR | OFF | 2006/03/16 14:38 |
| S16 | 2 | country with voltage same card | USPAT | OR | OFF | 2006/03/16 14:40 |
| S17 | 60 | detect\$3 near2 voltage with wireless | USPAT | OR | OFF | 2006/03/16 14:40 |
| S18 | 0 | detect\$3 near2 voltage with wireless and country | USPAT | OR | OFF | 2006/03/16 14:40 |
| S19 | 11 | detect\$3 near2 voltage with wireless and region\$1 | USPAT | OR | OFF | 2006/03/16 14:41 |
| S20 | 10 | ("4841561" "5430793" "5608795" "5712977" "5802169" "6081586" "6091806" "6128373" "6282271" "6396922").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/16 14:44 |
| S21 | 14 | ("4402074" "4868863" "4993019" "5258713" "5267309" "5305315" "5500894" "5506868" "5583934" "5675643" "6047061" "6081586" | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/16 14:57 |
| | | "6091806" "6198817").PN. | | | | |
| S22 | 42 | (ac adj power) same country | USPAT | OR | OFF | 2006/03/16 15:16 |

| | | | _ | | | |
|-----|-----|---|-----------------------------------|----|-----|------------------|
| S23 | 2 | (ac adj power) same country same configur\$3 | USPAT | OR | OFF | 2006/03/16 15:15 |
| S24 | 3 | (ac adj power) same country same configur\$3 | US-PGPUB; EPO; JPO; IBM_TDB | OR | OFF | 2006/03/16 15:24 |
| S25 | 5 | (ac adj power) same country | EPO; JPO; IBM_TDB | OR | OFF | 2006/03/16 15:25 |
| S26 | 0 | country adj discriminating | USPAT | OR | OFF | 2006/03/16 16:05 |
| S27 | 0 | country near2 voltage near2 list | USPAT | OR | OFF | 2006/03/16 16:06 |
| S28 | 0 | country near2 voltage near2 table | USPAT | OR | OFF | 2006/03/16 16:06 |
| S29 | 1 | specification near2 compliance near3 country | USPAT | OR | OFF | 2006/03/16 18:13 |
| S30 | 2 | specification near2 compliance near3 country | US-PGPUB; EPO; JPO; IBM_TDB | OR | OFF | 2006/03/16 18:13 |
| S31 | 37 | power adj source with country | USPAT | OR | OFF | 2006/03/16 18:17 |
| S32 | 43 | (environment specification configuration) with (power voltage) with country | USPAT | OR | OFF | 2006/03/16 18:22 |
| S33 | 0 | ((environment specification configuration) with (power voltage) with country).clm. | USPAT | OR | OFF | 2006/03/16 18:22 |
| S34 | 5 | ((environment specification configuration) with (power voltage) with country) and g06f\$.ipc. | USPAT | OR | OFF | 2006/03/16 18:22 |
| S35 | 37 | wireless with permissible | USPAT | OR | OFF | 2006/03/16 19:08 |
| S36 | 0 | wireless with permissible with countr\$3 | USPAT | OR | OFF | 2006/03/16 19:08 |
| S37 | 1 | wireless with permissible same countr\$3 | USPAT | OR | OFF | 2006/03/16 19:09 |
| S38 | 3 | wireless with permissible same countr\$3 | US-PGPUB; USPAT | OR | OFF | 2006/03/16 19:09 |
| S39 | 142 | (AC power voltage) with device same country | USPAT | OR | OFF | 2006/03/16 19:11 |
| S40 | 73 | (AC power voltage) with device same country same (configur\$5 environment operat\$3) | USPAT | OR | OFF | 2006/03/16 19:12 |
| S41 | 227 | preset\$4 near3 reception | USPAT | OR | OFF | 2006/03/16 19:23 |
| S42 | 0 | preset\$4 near3 reception same country | USPAT | OR | OFF | 2006/03/16 19:23 |
| S43 | 26 | preset\$4 near3 reception same voltage | USPAT | OR | OFF | 2006/03/16 19:23 |
| S44 | 0 | preset\$4 near3 reception same voltage and country | USPAT | OR | OFF | 2006/03/16 19:23 |

| S45 | 4 | preset\$4 near3 reception same voltage and region | USPAT | OR | OFF | 2006/03/16 19:23 |
|------|--------|---|------------------------------|------|-----|------------------|
| S46 | 34269 | (region countr\$2) near7 voltage | USPAT | OR | OFF | 2006/03/16 19:26 |
| S47 | 1299 | (region countr\$2) near7 voltage with detect\$3 | USPAT | OR | OFF | 2006/03/16 19:26 |
| .S48 | 325 | (region countr\$2) near7 voltage with detect\$3 with (configur\$5 set\$4 operat\$3) | USPAT | OR | OFF | 2006/03/16 19:27 |
| S49 | 42 | (region countr\$2) near7 voltage with detect\$3 with (configur\$5 set\$4 operat\$3) with (device computer laptop handheld card) | USPAT | OŖ | OFF | 2006/03/16 19:28 |
| S50 | 12 | country adj unit | USPAT | OR | OFF | 2006/03/17 10:10 |
| S51 | 13 | ("5029183" "5442805" "5635940" "5652782" "5668803" "5732349" "5819173" "5857155" "5905955" "5918159" "5983115" "6031830" "6035212").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/17 10:14 |
| S52 | 3 | ("6484029").URPN. | USPAT | OR | OFF | 2006/03/17 10:18 |
| S53 | 9 | country adj unit | US-PGPUB | OR | OFF | 2006/03/17 10:22 |
| S54 | 1 | country adj unit | EPO; JPO; IBM_TDB | OR | OFF | 2006/03/17 10:22 |
| S55 | 37 | country adj list | USPAT | OR | OFF | 2006/03/17 10:22 |
| S56 | 1 | trujillo.xa. and country | USPAT | OR | OFF | 2006/03/17 10:39 |
| S57 | 327077 | (AC voltage current) near7 (configur\$5 parameter\$1 operat\$3) | USPAT | OR | OFF | 2006/03/17 10:54 |
| S58 | 220 | (AC voltage current) near7 (configur\$5 parameter\$1 operat\$3) same country | USPAT | OR | OFF | 2006/03/17 10:55 |
| S59 | 78 | (AC voltage current) near7 (configur\$5 parameter\$1 operat\$3) same country same (device\$1 equipment\$1 computer\$1 portable\$1 handheld\$1 card\$1) | USPAT | OR | OFF | 2006/03/17 10:56 |
| S60 | 1111 | determin\$5 near4 (country region location) near5 voltage | USPAT | OR | OFF | 2006/03/17 11:27 |
| S61 | 20 | determin\$5 near4 (country region location) near5 voltage with unit | USPAT | OR | OFF | 2006/03/17 11:30 |
| S62 | 1 | determin\$5 near4 (country region location) near5 AC with unit | USPAT | OR | OFF | 2006/03/17 11:30 |
| S63 | 208 | determin\$5 near4 (country region location) near5 current with unit | USPAT | OR . | OFF | 2006/03/17 11:31 |
| S64 | 178 | (country region) with (according based) near2 voltage | USPAT | OR | OFF | 2006/03/17 11:35 |
| S65 | 0 | country with (according based) near2 voltage | USPAT | OR | OFF | 2006/03/17 11:35 |

| S66 | 0 | country with (according based) near2 AC | USPAT | OR | OFF | 2006/03/17 11:35 |
|-----|------|---|-----------------------------------|----|-----|------------------|
| S67 | 2 | country with (according based) near2 power | USPAT | OR | OFF | 2006/03/17 11:35 |
| S68 | 27 | power adj grid near5 location | USPAT | OR | OFF | 2006/03/17 11:40 |
| S69 | 1260 | (system computer device equipment) near2 configur\$5 near5 voltage | USPAT | OR | OFF | 2006/03/17 11:44 |
| S70 | 66 | (system computer device equipment) near2 configur\$5 near5 (voltage near2 (determin\$5 detect\$3)) | USPAT | OR | OFF | 2006/03/17 11:52 |
| S71 | 0 | (system computer device equipment) near2 configur\$5 near5 (voltage near2 (determin\$5 detect\$3)) same countr\$2 | USPAT | OR | OFF | 2006/03/17 11:45 |
| S72 | 0 | (system computer device equipment) near2 configur\$5 near5 (voltage near2 (determin\$5 detect\$3)) and countr\$2 | USPAT | OR | OFF | 2006/03/17 11:45 |
| S73 | 1 | (system computer device equipment) near2 configur\$5 near5 (voltage near2 (determin\$5 detect\$3)) and foreign | USPAT | OR | OFF | 2006/03/17 11:46 |
| S74 | 67 | (system computer device equipment) near2 configur\$5 near5 (power near2 (determin\$5 detect\$3)) | USPAT | OR | OFF | 2006/03/17 11:53 |
| S75 | 3 | country with operat\$3 adj environment\$1 | USPAT | OR | OFF | 2006/03/17 12:32 |
| S76 | 11 | country with operat\$3 adj environment\$1 | US-PGPUB; EPO; JPO; IBM_TDB | OR | OFF | 2006/03/17 12:32 |
| S77 | 31 | country with configur\$5 with computer | USPAT | OR | OFF | 2006/03/17 12:35 |
| S78 | 0 | country with configur\$5 with computer | EPO; JPO; IBM_TDB | OR | OFF | 2006/03/17 12:41 |
| S79 | 37 | country with configur\$5 with computer | US-PGPUB | OR | OFF | 2006/03/17 12:41 |
| S80 | 0 | country adj voltage adj list | USPAT | OR | OFF | 2006/03/17 12:47 |
| S81 | 0 | electric adj specification near5 country | USPAT | OR | OFF | 2006/03/17 12:49 |
| S82 | 83 | specification near5 country | USPAT | OR | OFF | 2006/03/17 12:49 |
| S83 | 7 | specification near5 country same voltage | USPAT | OR | OFF | 2006/03/17 12:50 |
| S84 | 4 | specification near5 country same voltage | US-PGPUB; EPO; JPO; IBM_TDB | OR | OFF | 2006/03/17 12:50 |
| S85 | 0 | (detection adj unit) near3 voltage same country | USPAT | OR | OFF | 2006/03/17 12:54 |
| S86 | 42 | (detection adj unit) near3 voltage and country | USPAT | OR | OFF | 2006/03/17 12:55 |

| S87 | 4340 | (detect\$3 determin\$5) near3 (location country) with (AC voltage source) | USPAT | OR | OFF | 2006/03/17 12:59 |
|-----|------|---|-------|----|-----|------------------|
| S88 | 0 | (detect\$3 determin\$5) near3 (location country) with (AC voltage source) and (country adj (list table)) | USPAT | OR | OFF | 2006/03/17 13:00 |
| S89 | 957 | (detect\$3 determin\$5) near3 (location country) with (AC voltage source) same (configur\$5 parameter\$1 operat\$3) | USPAT | OR | OFF | 2006/03/17 13:01 |
| S90 | 244 | (detect\$3 determin\$5) near3 (location country) with (AC voltage source) same (configur\$5 parameter\$1 operat\$3) same (computer device portable) | USPAT | OR | OFF | 2006/03/17 13:02 |
| S91 | 1 | (detect\$3 determin\$5) near3 country with (AC voltage source) same (configur\$5 parameter\$1 operat\$3) same (computer device portable) | USPAT | OR | OFF | 2006/03/17 13:02 |